

Figure 6. Hillside Akathisia Scale [HAS Version 4]

SUBJECTIVE SCORE:	_____
OBJECTIVE SCORE:	_____
TOTAL:	_____

Name

Rater

Date

SUBJECTIVE SUBSCALE (ITEMS 1 & 2):

- 0 = Absent
- 1 = Questionable
- 2 = Present and easily controlled
- 3 = Present and barely controlled
- 4 = Present and not controllable

	S i t t i n g	S t a n d i n g	L y i n g	T o t a l
SUBJECTIVE ITEMS:				
1. Patient has sensation of inner restlessness:	_____	_____	_____	_____
2. Patient has the urge to move:	_____	_____	_____	_____
OBJECTIVE ITEMS:				
3. Akathisia present in the head and trunk:	_____	_____	_____	_____
4. Akathisia present in the hands and arms:	_____	_____	_____	_____
5. Akathisia present in the feet and legs:	_____	_____	_____	_____

OBJECTIVE SUBSCALE (ITEMS 3, 4, & 5):

- 0 = No akathisia
- 1 = Questionable
- 2 = Small amplitude movements, part of the time
- 3 = Small amplitude movements, all of the time **OR** large amplitude movements, part of the time
- 4 = Large amplitude movements, all of the time

CLINICAL GLOBAL IMPRESSION:	
-----------------------------	--

Severity of Akathisia:

SCORE ____

Considering your total clinical experience with this particular population, how akathisia is the patient at this time?

- 0 = Not assessed
- 1 = Normal, not akathisia
- 2 = Borderline akathisia
- 3 = Mildly akathisia
- 4 = Moderately akathisia
- 5 = Markedly akathisia
- 6 = Severely akathisia
- 7 = Among the most akathisia of patients

Global Improvement:

SCORE ____

Rate total improvement whether or not, in your judgment, it is entirely due to drug treatment.
Compared to his/her condition at admission to the study, how much has he/she changed?

- 0 = Not assessed
- 1 = Very much improved
- 2 = Much improved
- 3 = Minimally improved
- 4 = No change
- 5 = Minimally worse
- 6 = Much worse
- 7 = Very much worse

Reproduced from Fleischhacker, Bergmann, Perovich, et al.