

Chart Review Worksheet Instructions

- To complete this chart review, please select 10 patient charts that meet the following criteria:
 - Patients aged 18 years and older with a diagnosis of coronary artery disease seen within the last 12 months.
- Answer all questions on the form.
- Return to the PI CME online chart review forms at http://www.medscape.org/picme/start/106 to enter the information from each worksheet.

Chart Review Patient 1 of 10

Are there documented results of an evaluation of level of activity and an evaluation of the presence or absence of anginal symptoms in this patient's medical record that includes one of the following?

Documentation of Canadian Cardiovascular Society (CCS) Angina Grading Scale or completion of a disease-specific questionnaire (eg, Seattle Angina Questionnaire or other validated questionnaire) to quantify angina symptom severity and level of activity.

Canadian Cardiovascular Society (CCS) Angina Grading Scale

Class 0: Asymptomatic

Class 1: Angina with strenuous exercise

Class 2: Angina with moderate exertion

Class 3: Angina with mild exertion

- Walking 1 to 2 level blocks at a normal pace
- Climbing 1 flight of stairs at a normal pace

Class 4: Angina with any level of physical exertion

☐ Documented results of an evaluation of both level of activity and presence of
symptoms
☐ No documented results of an evaluation of both level of activity and presence of
symptoms

Are there documented results of an evaluation of level of activity and evaluation of symptoms including a report of anginal symptoms, and documentation of a plan of care to achieve control of angina symptoms in this patient's medical record?

Documented plan of care may include:

- Two or more antianginal medications prescribed,^a or
- Referral for consideration for coronary revascularization, or
- Referral for additional evaluation or treatment of anginal symptoms



agents as documented in current medication list. Antianginal prescriptions include beta-blockers, calcium antagonists, nitrates, or ranolazine.

- Documentation of medical reason(s) for not providing any specified element of plan of care to achieve control of anginal symptoms (eg, allergy, intolerant, other medical reasons)
- Documentation of patient reason(s) for not providing any specified element of plan of care to achieve control of anginal symptoms (eg, patient declined, other patient reasons)
- Documentation of system reason(s) for not providing any specified element of plan of care to achieve control of anginal symptoms (eg, financial reasons, other reasons attributable to the health care system)

Yes, OR patient evaluation revealed no report of anginal symptoms, OR patient meets one of the Qualifying Exceptions
☐ No documented results of an evaluation of level of activity and evaluation of symptoms including a report of anginal symptoms, and no documentation of a plan of care to achieve control of angina symptoms
Please provide this patient's symptom status with respect to his or her last reported on-treatment anginal symptoms.
Asymptomatic; CCS Class 0
Angina with strenuous exercise; CCS Class I
Angina with moderate exertion; CCS Class II
☐ Angina with mild exertion, walking 1 to 2 level blocks at a normal pace and climbing 1 flight of stairs at a normal pace; CCS Class III
☐ Angina at any level of physical exertion; CCS Class IV
Last on-treatment anginal symptom Class not documented
CCS Class 0, currently not on any antianginal therapies

Chart Review Patient 2 of 10

Are there documented results of an evaluation of level of activity and an evaluation of the presence or absence of anginal symptoms in this patient's medical record that includes one of the following?

Documentation of Canadian Cardiovascular Society (CCS) Angina Grading Scale or completion of a disease-specific questionnaire (eg, Seattle Angina Questionnaire or other validated questionnaire) to quantify angina symptom severity and level of activity.

Canadian Cardiovascular Society (CCS) Angina Grading Scale

Class 0: Asymptomatic

Class 1: Angina with strenuous exercise

Class 2: Angina with moderate exertion

Class 3: Angina with mild exertion

- Walking 1 to 2 level blocks at a normal pace
- Climbing 1 flight of stairs at a normal pace

Class 4: Angina with any level of physical exertion

☐ Documented results of an evaluation of both level of activity and presence of
symptoms
☐ No documented results of an evaluation of both level of activity and presence of
symptoms

Are there documented results of an evaluation of level of activity and evaluation of symptoms including a report of anginal symptoms, and documentation of a plan of care to achieve control of angina symptoms in this patient's medical record?

Documented plan of care may include:

- Two or more antianginal medications prescribed,^a or
- Referral for consideration for coronary revascularization, or
- Referral for additional evaluation or treatment of anginal symptoms



agents as documented in current medication list. Antianginal prescriptions include beta-blockers, calcium antagonists, nitrates, or ranolazine.

- Documentation of medical reason(s) for not providing any specified element of plan of care to achieve control of anginal symptoms (eg, allergy, intolerant, other medical reasons)
- Documentation of patient reason(s) for not providing any specified element of plan of care to achieve control of anginal symptoms (eg, patient declined, other patient reasons)
- Documentation of system reason(s) for not providing any specified element of plan of care to achieve control of anginal symptoms (eg, financial reasons, other reasons attributable to the health care system)

Yes, OR patient evaluation revealed no report of anginal symptoms, OR patient meets one of the Qualifying Exceptions
☐ No documented results of an evaluation of level of activity and evaluation of symptoms including a report of anginal symptoms, and no documentation of a plan of care to achieve control of angina symptoms
Please provide this patient's symptom status with respect to his or her last reported on-treatment anginal symptoms.
Asymptomatic; CCS Class 0
Angina with strenuous exercise; CCS Class I
Angina with moderate exertion; CCS Class II
☐ Angina with mild exertion, walking 1 to 2 level blocks at a normal pace and climbing 1 flight of stairs at a normal pace; CCS Class III
☐ Angina at any level of physical exertion; CCS Class IV
Last on-treatment anginal symptom Class not documented
CCS Class 0, currently not on any antianginal therapies

Chart Review Patient 3 of 10

Are there documented results of an evaluation of level of activity and an evaluation of the presence or absence of anginal symptoms in this patient's medical record that includes one of the following?

Documentation of Canadian Cardiovascular Society (CCS) Angina Grading Scale or completion of a disease-specific questionnaire (eg, Seattle Angina Questionnaire or other validated questionnaire) to quantify angina symptom severity and level of activity.

Canadian Cardiovascular Society (CCS) Angina Grading Scale

Class 0: Asymptomatic

Class 1: Angina with strenuous exercise

Class 2: Angina with moderate exertion

Class 3: Angina with mild exertion

- Walking 1 to 2 level blocks at a normal pace
- Climbing 1 flight of stairs at a normal pace

Class 4: Angina with any level of physical exertion

☐ Documented results of an evaluation of both level of activity and presence of
symptoms
☐ No documented results of an evaluation of both level of activity and presence of
symptoms

Are there documented results of an evaluation of level of activity and evaluation of symptoms including a report of anginal symptoms, and documentation of a plan of care to achieve control of angina symptoms in this patient's medical record?

Documented plan of care may include:

- Two or more antianginal medications prescribed,^a or
- Referral for consideration for coronary revascularization, or
- Referral for additional evaluation or treatment of anginal symptoms



agents as documented in current medication list. Antianginal prescriptions include beta-blockers, calcium antagonists, nitrates, or ranolazine.

- Documentation of medical reason(s) for not providing any specified element of plan of care to achieve control of anginal symptoms (eg, allergy, intolerant, other medical reasons)
- Documentation of patient reason(s) for not providing any specified element of plan of care to achieve control of anginal symptoms (eg, patient declined, other patient reasons)
- Documentation of system reason(s) for not providing any specified element of plan of care to achieve control of anginal symptoms (eg, financial reasons, other reasons attributable to the health care system)

Yes, OR patient evaluation revealed no report of anginal symptoms, OR patient meets one of the Qualifying Exceptions
☐ No documented results of an evaluation of level of activity and evaluation of symptoms including a report of anginal symptoms, and no documentation of a plan of care to achieve control of angina symptoms
Please provide this patient's symptom status with respect to his or her last reported on-treatment anginal symptoms.
Asymptomatic; CCS Class 0
Angina with strenuous exercise; CCS Class I
Angina with moderate exertion; CCS Class II
☐ Angina with mild exertion, walking 1 to 2 level blocks at a normal pace and climbing 1 flight of stairs at a normal pace; CCS Class III
☐ Angina at any level of physical exertion; CCS Class IV
Last on-treatment anginal symptom Class not documented
CCS Class 0, currently not on any antianginal therapies

Chart Review Patient 4 of 10

Are there documented results of an evaluation of level of activity and an evaluation of the presence or absence of anginal symptoms in this patient's medical record that includes one of the following?

Documentation of Canadian Cardiovascular Society (CCS) Angina Grading Scale or completion of a disease-specific questionnaire (eg, Seattle Angina Questionnaire or other validated questionnaire) to quantify angina symptom severity and level of activity.

Canadian Cardiovascular Society (CCS) Angina Grading Scale

Class 0: Asymptomatic

Class 1: Angina with strenuous exercise

Class 2: Angina with moderate exertion

Class 3: Angina with mild exertion

- Walking 1 to 2 level blocks at a normal pace
- Climbing 1 flight of stairs at a normal pace

Class 4: Angina with any level of physical exertion

☐ Documented results of an evaluation of both level of activity and presence of
symptoms
☐ No documented results of an evaluation of both level of activity and presence of
symptoms

Are there documented results of an evaluation of level of activity and evaluation of symptoms including a report of anginal symptoms, and documentation of a plan of care to achieve control of angina symptoms in this patient's medical record?

Documented plan of care may include:

- Two or more antianginal medications prescribed,^a or
- Referral for consideration for coronary revascularization, or
- Referral for additional evaluation or treatment of anginal symptoms



agents as documented in current medication list. Antianginal prescriptions include beta-blockers, calcium antagonists, nitrates, or ranolazine.

- Documentation of medical reason(s) for not providing any specified element of plan of care to achieve control of anginal symptoms (eg, allergy, intolerant, other medical reasons)
- Documentation of patient reason(s) for not providing any specified element of plan of care to achieve control of anginal symptoms (eg, patient declined, other patient reasons)
- Documentation of system reason(s) for not providing any specified element of plan of care to achieve control of anginal symptoms (eg, financial reasons, other reasons attributable to the health care system)

Yes, OR patient evaluation revealed no report of anginal symptoms, OR patient meets one of the Qualifying Exceptions
☐ No documented results of an evaluation of level of activity and evaluation of symptoms including a report of anginal symptoms, and no documentation of a plan of care to achieve control of angina symptoms
Please provide this patient's symptom status with respect to his or her last reported on-treatment anginal symptoms.
Asymptomatic; CCS Class 0
Angina with strenuous exercise; CCS Class I
Angina with moderate exertion; CCS Class II
☐ Angina with mild exertion, walking 1 to 2 level blocks at a normal pace and climbing 1 flight of stairs at a normal pace; CCS Class III
☐ Angina at any level of physical exertion; CCS Class IV
Last on-treatment anginal symptom Class not documented
CCS Class 0, currently not on any antianginal therapies

Chart Review Patient 5 of 10

Are there documented results of an evaluation of level of activity and an evaluation of the presence or absence of anginal symptoms in this patient's medical record that includes one of the following?

Documentation of Canadian Cardiovascular Society (CCS) Angina Grading Scale or completion of a disease-specific questionnaire (eg, Seattle Angina Questionnaire or other validated questionnaire) to quantify angina symptom severity and level of activity.

Canadian Cardiovascular Society (CCS) Angina Grading Scale

Class 0: Asymptomatic

Class 1: Angina with strenuous exercise

Class 2: Angina with moderate exertion

Class 3: Angina with mild exertion

- Walking 1 to 2 level blocks at a normal pace
- Climbing 1 flight of stairs at a normal pace

Class 4: Angina with any level of physical exertion

Documented results of an evaluation of both level of activity and presence of
symptoms
☐ No documented results of an evaluation of both level of activity and presence of
symptoms

Are there documented results of an evaluation of level of activity and evaluation of symptoms including a report of anginal symptoms, and documentation of a plan of care to achieve control of angina symptoms in this patient's medical record?

Documented plan of care may include:

- Two or more antianginal medications prescribed,^a or
- Referral for consideration for coronary revascularization, or
- Referral for additional evaluation or treatment of anginal symptoms



agents as documented in current medication list. Antianginal prescriptions include beta-blockers, calcium antagonists, nitrates, or ranolazine.

- Documentation of medical reason(s) for not providing any specified element of plan of care to achieve control of anginal symptoms (eg, allergy, intolerant, other medical reasons)
- Documentation of patient reason(s) for not providing any specified element of plan of care to achieve control of anginal symptoms (eg, patient declined, other patient reasons)
- Documentation of system reason(s) for not providing any specified element of plan of care to achieve control of anginal symptoms (eg, financial reasons, other reasons attributable to the health care system)

Yes, OR patient evaluation revealed no report of anginal symptoms, OR patient meets one of the Qualifying Exceptions
☐ No documented results of an evaluation of level of activity and evaluation of symptoms including a report of anginal symptoms, and no documentation of a plan of care to achieve control of angina symptoms
Please provide this patient's symptom status with respect to his or her last reported on-treatment anginal symptoms.
Asymptomatic; CCS Class 0
Angina with strenuous exercise; CCS Class I
Angina with moderate exertion; CCS Class II
☐ Angina with mild exertion, walking 1 to 2 level blocks at a normal pace and climbing 1 flight of stairs at a normal pace; CCS Class III
☐ Angina at any level of physical exertion; CCS Class IV
Last on-treatment anginal symptom Class not documented
CCS Class 0, currently not on any antianginal therapies

Chart Review Patient 6 of 10

Are there documented results of an evaluation of level of activity and an evaluation of the presence or absence of anginal symptoms in this patient's medical record that includes one of the following?

Documentation of Canadian Cardiovascular Society (CCS) Angina Grading Scale or completion of a disease-specific questionnaire (eg, Seattle Angina Questionnaire or other validated questionnaire) to quantify angina symptom severity and level of activity.

Canadian Cardiovascular Society (CCS) Angina Grading Scale

Class 0: Asymptomatic

Class 1: Angina with strenuous exercise

Class 2: Angina with moderate exertion

Class 3: Angina with mild exertion

- Walking 1 to 2 level blocks at a normal pace
- Climbing 1 flight of stairs at a normal pace

Class 4: Angina with any level of physical exertion

Documented results of an evaluation of both level of activity and presence of
symptoms
☐ No documented results of an evaluation of both level of activity and presence of
symptoms

Are there documented results of an evaluation of level of activity and evaluation of symptoms including a report of anginal symptoms, and documentation of a plan of care to achieve control of angina symptoms in this patient's medical record?

Documented plan of care may include:

- Two or more antianginal medications prescribed,^a or
- Referral for consideration for coronary revascularization, or
- Referral for additional evaluation or treatment of anginal symptoms



agents as documented in current medication list. Antianginal prescriptions include beta-blockers, calcium antagonists, nitrates, or ranolazine.

- Documentation of medical reason(s) for not providing any specified element of plan of care to achieve control of anginal symptoms (eg, allergy, intolerant, other medical reasons)
- Documentation of patient reason(s) for not providing any specified element of plan of care to achieve control of anginal symptoms (eg, patient declined, other patient reasons)
- Documentation of system reason(s) for not providing any specified element of plan of care to achieve control of anginal symptoms (eg, financial reasons, other reasons attributable to the health care system)

Yes, OR patient evaluation revealed no report of anginal symptoms, OR patient meets one of the Qualifying Exceptions
☐ No documented results of an evaluation of level of activity and evaluation of symptoms including a report of anginal symptoms, and no documentation of a plan of care to achieve control of angina symptoms
Please provide this patient's symptom status with respect to his or her last reported on-treatment anginal symptoms.
Asymptomatic; CCS Class 0
Angina with strenuous exercise; CCS Class I
Angina with moderate exertion; CCS Class II
☐ Angina with mild exertion, walking 1 to 2 level blocks at a normal pace and climbing 1 flight of stairs at a normal pace; CCS Class III
☐ Angina at any level of physical exertion; CCS Class IV
Last on-treatment anginal symptom Class not documented
CCS Class 0, currently not on any antianginal therapies

Chart Review Patient 7 of 10

Are there documented results of an evaluation of level of activity and an evaluation of the presence or absence of anginal symptoms in this patient's medical record that includes one of the following?

Documentation of Canadian Cardiovascular Society (CCS) Angina Grading Scale or completion of a disease-specific questionnaire (eg, Seattle Angina Questionnaire or other validated questionnaire) to quantify angina symptom severity and level of activity.

Canadian Cardiovascular Society (CCS) Angina Grading Scale

Class 0: Asymptomatic

Class 1: Angina with strenuous exercise

Class 2: Angina with moderate exertion

Class 3: Angina with mild exertion

- Walking 1 to 2 level blocks at a normal pace
- Climbing 1 flight of stairs at a normal pace

Class 4: Angina with any level of physical exertion

Documented results of an evaluation of both level of activity and presence of
symptoms
☐ No documented results of an evaluation of both level of activity and presence of
symptoms

Are there documented results of an evaluation of level of activity and evaluation of symptoms including a report of anginal symptoms, and documentation of a plan of care to achieve control of angina symptoms in this patient's medical record?

Documented plan of care may include:

- Two or more antianginal medications prescribed,^a or
- Referral for consideration for coronary revascularization, or
- Referral for additional evaluation or treatment of anginal symptoms



agents as documented in current medication list. Antianginal prescriptions include beta-blockers, calcium antagonists, nitrates, or ranolazine.

- Documentation of medical reason(s) for not providing any specified element of plan of care to achieve control of anginal symptoms (eg, allergy, intolerant, other medical reasons)
- Documentation of patient reason(s) for not providing any specified element of plan of care to achieve control of anginal symptoms (eg, patient declined, other patient reasons)
- Documentation of system reason(s) for not providing any specified element of plan of care to achieve control of anginal symptoms (eg, financial reasons, other reasons attributable to the health care system)

Yes, OR patient evaluation revealed no report of anginal symptoms, OR patient meets one of the Qualifying Exceptions
☐ No documented results of an evaluation of level of activity and evaluation of symptoms including a report of anginal symptoms, and no documentation of a plan of care to achieve control of angina symptoms
Please provide this patient's symptom status with respect to his or her last reported on-treatment anginal symptoms.
Asymptomatic; CCS Class 0
Angina with strenuous exercise; CCS Class I
Angina with moderate exertion; CCS Class II
☐ Angina with mild exertion, walking 1 to 2 level blocks at a normal pace and climbing 1 flight of stairs at a normal pace; CCS Class III
☐ Angina at any level of physical exertion; CCS Class IV
Last on-treatment anginal symptom Class not documented
CCS Class 0, currently not on any antianginal therapies

Chart Review Patient 8 of 10

Are there documented results of an evaluation of level of activity and an evaluation of the presence or absence of anginal symptoms in this patient's medical record that includes one of the following?

Documentation of Canadian Cardiovascular Society (CCS) Angina Grading Scale or completion of a disease-specific questionnaire (eg, Seattle Angina Questionnaire or other validated questionnaire) to quantify angina symptom severity and level of activity.

Canadian Cardiovascular Society (CCS) Angina Grading Scale

Class 0: Asymptomatic

Class 1: Angina with strenuous exercise

Class 2: Angina with moderate exertion

Class 3: Angina with mild exertion

- Walking 1 to 2 level blocks at a normal pace
- Climbing 1 flight of stairs at a normal pace

Class 4: Angina with any level of physical exertion

☐ Documented results of an evaluation of both level of activity and presence of
symptoms
☐ No documented results of an evaluation of both level of activity and presence of
symptoms

Are there documented results of an evaluation of level of activity and evaluation of symptoms including a report of anginal symptoms, and documentation of a plan of care to achieve control of angina symptoms in this patient's medical record?

Documented plan of care may include:

- Two or more antianginal medications prescribed,^a or
- Referral for consideration for coronary revascularization, or
- Referral for additional evaluation or treatment of anginal symptoms



agents as documented in current medication list. Antianginal prescriptions include beta-blockers, calcium antagonists, nitrates, or ranolazine.

- Documentation of medical reason(s) for not providing any specified element of plan of care to achieve control of anginal symptoms (eg, allergy, intolerant, other medical reasons)
- Documentation of patient reason(s) for not providing any specified element of plan of care to achieve control of anginal symptoms (eg, patient declined, other patient reasons)
- Documentation of system reason(s) for not providing any specified element of plan of care to achieve control of anginal symptoms (eg, financial reasons, other reasons attributable to the health care system)

Yes, OR patient evaluation revealed no report of anginal symptoms, OR patient meets one of the Qualifying Exceptions
☐ No documented results of an evaluation of level of activity and evaluation of symptoms including a report of anginal symptoms, and no documentation of a plan of care to achieve control of angina symptoms
Please provide this patient's symptom status with respect to his or her last reported on-treatment anginal symptoms.
Asymptomatic; CCS Class 0
Angina with strenuous exercise; CCS Class I
Angina with moderate exertion; CCS Class II
☐ Angina with mild exertion, walking 1 to 2 level blocks at a normal pace and climbing 1 flight of stairs at a normal pace; CCS Class III
☐ Angina at any level of physical exertion; CCS Class IV
Last on-treatment anginal symptom Class not documented
CCS Class 0, currently not on any antianginal therapies

Chart Review Patient 9 of 10

Are there documented results of an evaluation of level of activity and an evaluation of the presence or absence of anginal symptoms in this patient's medical record that includes one of the following?

Documentation of Canadian Cardiovascular Society (CCS) Angina Grading Scale or completion of a disease-specific questionnaire (eg, Seattle Angina Questionnaire or other validated questionnaire) to quantify angina symptom severity and level of activity.

Canadian Cardiovascular Society (CCS) Angina Grading Scale

Class 0: Asymptomatic

Class 1: Angina with strenuous exercise

Class 2: Angina with moderate exertion

Class 3: Angina with mild exertion

- Walking 1 to 2 level blocks at a normal pace
- Climbing 1 flight of stairs at a normal pace

Class 4: Angina with any level of physical exertion

☐ Documented results of an evaluation of both level of activity and presence of
symptoms
☐ No documented results of an evaluation of both level of activity and presence of
symptoms

Are there documented results of an evaluation of level of activity and evaluation of symptoms including a report of anginal symptoms, and documentation of a plan of care to achieve control of angina symptoms in this patient's medical record?

Documented plan of care may include:

- Two or more antianginal medications prescribed,^a or
- Referral for consideration for coronary revascularization, or
- Referral for additional evaluation or treatment of anginal symptoms



agents as documented in current medication list. Antianginal prescriptions include beta-blockers, calcium antagonists, nitrates, or ranolazine.

- Documentation of medical reason(s) for not providing any specified element of plan of care to achieve control of anginal symptoms (eg, allergy, intolerant, other medical reasons)
- Documentation of patient reason(s) for not providing any specified element of plan of care to achieve control of anginal symptoms (eg, patient declined, other patient reasons)
- Documentation of system reason(s) for not providing any specified element of plan of care to achieve control of anginal symptoms (eg, financial reasons, other reasons attributable to the health care system)

Yes, OR patient evaluation revealed no report of anginal symptoms, OR patient meets one of the Qualifying Exceptions
☐ No documented results of an evaluation of level of activity and evaluation of symptoms including a report of anginal symptoms, and no documentation of a plan of care to achieve control of angina symptoms
Please provide this patient's symptom status with respect to his or her last reported on-treatment anginal symptoms.
Asymptomatic; CCS Class 0
Angina with strenuous exercise; CCS Class I
Angina with moderate exertion; CCS Class II
☐ Angina with mild exertion, walking 1 to 2 level blocks at a normal pace and climbing 1 flight of stairs at a normal pace; CCS Class III
☐ Angina at any level of physical exertion; CCS Class IV
Last on-treatment anginal symptom Class not documented
CCS Class 0, currently not on any antianginal therapies

Chart Review

Patient 10 of 10

Are there documented results of an evaluation of level of activity and an evaluation of the presence or absence of anginal symptoms in this patient's medical record that includes one of the following?

Documentation of Canadian Cardiovascular Society (CCS) Angina Grading Scale or completion of a disease-specific questionnaire (eg, Seattle Angina Questionnaire or other validated questionnaire) to quantify angina symptom severity and level of activity.

Canadian Cardiovascular Society (CCS) Angina Grading Scale

Class 0: Asymptomatic

Class 1: Angina with strenuous exercise

Class 2: Angina with moderate exertion

Class 3: Angina with mild exertion

- Walking 1 to 2 level blocks at a normal pace
- Climbing 1 flight of stairs at a normal pace

Class 4: Angina with any level of physical exertion

Documented results of an evaluation of both level of activity and presence of
symptoms
☐ No documented results of an evaluation of both level of activity and presence of
symptoms

Are there documented results of an evaluation of level of activity and evaluation of symptoms including a report of anginal symptoms, and documentation of a plan of care to achieve control of angina symptoms in this patient's medical record?

Documented plan of care may include:

- Two or more antianginal medications prescribed,^a or
- Referral for consideration for coronary revascularization, or
- Referral for additional evaluation or treatment of anginal symptoms



agents as documented in current medication list. Antianginal prescriptions include beta-blockers, calcium antagonists, nitrates, or ranolazine.

- Documentation of medical reason(s) for not providing any specified element of plan of care to achieve control of anginal symptoms (eg, allergy, intolerant, other medical reasons)
- Documentation of patient reason(s) for not providing any specified element of plan of care to achieve control of anginal symptoms (eg, patient declined, other patient reasons)
- Documentation of system reason(s) for not providing any specified element of plan of care to achieve control of anginal symptoms (eg, financial reasons, other reasons attributable to the health care system)

Yes, OR patient evaluation revealed no report of anginal symptoms, OR patient meets one of the Qualifying Exceptions
☐ No documented results of an evaluation of level of activity and evaluation of symptoms including a report of anginal symptoms, and no documentation of a plan of care to achieve control of angina symptoms
Please provide this patient's symptom status with respect to his or her last reported on-treatment anginal symptoms.
Asymptomatic; CCS Class 0
Angina with strenuous exercise; CCS Class I
Angina with moderate exertion; CCS Class II
☐ Angina with mild exertion, walking 1 to 2 level blocks at a normal pace and climbing 1 flight of stairs at a normal pace; CCS Class III
☐ Angina at any level of physical exertion; CCS Class IV
Last on-treatment anginal symptom Class not documented
CCS Class 0, currently not on any antianginal therapies